# Safety Data Sheet ULTRABOND ECO MS 4 LVT NA

Safety Data Sheet dated: 06/16/2021 - version 5 Date of first edition: 05/28/2019



## **1. IDENTIFICATION**

## Product identifier

Mixture identification: Trade name: ULTRABOND ECO MS 4 LVT NA Trade code: 9035852

## Recommended use of the chemical and restrictions on use

Recommended use: Adhesive

Restrictions on use: Not available

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Responsible: RDProductSafety@mapei.com

## **Emergency 24 hour numbers:**

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887 Emergency Transport CANUTEC (Canada) 1-613-996-6666

# 2. HAZARD(S) IDENTIFICATION



## **Classification of the chemical**

Skin Sens. 1

May cause an allergic skin reaction.

## Label elements

Hazard pictograms and Signal Word



## Hazard statements

H317

May cause an allergic skin reaction.

## **Precautionary statements**

| ,         |  |
|-----------|--|
| P201      | Obtain special instructions before use.                                    |
| P202      | Do not handle until all safety precautions have been read and understood.  |
| P261      | Avoid breathing dust or mist.  |
| P272      | Contaminated work clothing should not be allowed out of the workplace.     |
| P280      | Wear protective gloves/protective clothing/eye protection/face protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water.                                     |
| P308+P313 | IF exposed or concerned: Get medical advice/attention.                     |
| P321      | Specific treatment (see supplementary instructions on this label).         |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention.           |
| P362+P364 | Take off contaminated clothing and wash it before reuse.                   |
| P405      | Store locked up.   |
| P501      | Dispose of contents/container in accordance with applicable regulations.   |
|           |  |

# Ingredient(s) with unknown acute toxicity:

None

## Hazards not otherwise classified identified during the classification process:

None

This product contains titanium dioxide which IARC has classified as a Group 2B carcinogen (possibly carcinogenic to humans). Evidence is based on sufficient animal testing as a result of long-term inhalation at high concentrations of respirable amounts of titanium dioxide. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a dust hazard)

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substances

Not available

### Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

| List of components | List | of | components |
|--------------------|------|----|------------|
|--------------------|------|----|------------|

| Concentra<br>tion (%<br>w/w) | Name   | Ident. Numb.   | Classification  | Registration Number |
|------------------------------|--|----------------|---|---------------------|
| 2.5-5 %                      | titanium dioxide; Dioxotitanium  | CAS:13463-67-7 | Carc. 2, H351   |                     |
| 1-2.5 %                      | vinyltrimethoxysilane;<br>Trimethoxyvinylsilane  | CAS:2768-02-7  | Flam. Liq. 3, H226; Acute Tox. 4,<br>H332                             |                     |
| 0.1-0.25 %                   | bis(1,2,2,6,6-pentamethyl-4-<br>piperidyl) sebacate; Decanedioic<br>acid, bis(1,2,2,6,6-pentamethyl-4-<br>piperidinyl) ester |                | Skin Sens. 1, H317; Aquatic Acute<br>1, H400; Aquatic Chronic 1, H410 |                     |

## **4. FIRST AID MEASURES**

#### **Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## Most important symptoms/effects, acute and delayed

#### Not available

## Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

(see paragraph 4.1)

## **5. FIRE-FIGHTING MEASURES**

#### **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

## Unsuitable extinguishing media:

None in particular.

#### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not available

Oxidizing properties: Not available

# Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Remove persons to safety. Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Limit leakages with earth or sand.

#### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Retain contaminated washing water and dispose it.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

## Conditions for safe storage, including any incompatibilities

Storage temperature: Not available

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters

#### List of components with OEL value

| Component                          | OEL<br>Type | Country     | Ceiling | Long<br>Term<br>mg/m3 | Long<br>Term<br>ppm | Short<br>Term<br>mg/m3 | Short<br>Term<br>ppm | Behaviour | Note  |
|------------------------------------|-------------|-------------|---------|-----------------------|---------------------|------------------------|----------------------|-----------|---|
| titanium dioxide;<br>Dioxotitanium | OSHA        |             |         | 15                    |                     |                        |                      |           |   |
|                                    | ACGIH       |             |         | 10                    |                     |                        |                      |           | A4 - Not Classifiable as a<br>Human Carcinogen;lower<br>respiratory tract irritation; |
|                                    | MAK         | GERMANY     |         | 0,3                   |                     |                        |                      |           |   |
|                                    | ACGIH       |             |         | 10                    |                     |                        |                      |           | A4 - Not Classifiable as a<br>Human Carcinogen;lower<br>respiratory tract irritation  |
|                                    | МАК         | AUSTRIA     |         | 5                     |                     | 10                     |                      |           |   |
|                                    | MAK         | SWITZERLAND |         | 3                     |                     |                        |                      |           |   |

Appropriate engineering controls: Not available

## Individual protection measures

#### Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment. Not available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state: Liquid Appearance and colour: paste white Odour: No data available Odour threshold: No data available pH: No data available Melting point / freezing point: No data available Initial boiling point and boiling range: No data available Flash point: 93,3 °C (199,9 °F) Evaporation rate: No data available Upper/lower flammability or explosive limits: No data available Vapour density: No data available Vapour pressure: No data available Relative density: 1.33 g/cm3 Solubility in water: No data available Solubility in oil: No data available Partition coefficient (n-octanol/water): No data available Auto-ignition temperature: No data available Decomposition temperature: No data available Viscosity: No data available Explosive properties: No data available Oxidizing properties: No data available Solid/gas flammability: No data available

## Other information

Substance Groups relevant properties No data available Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

## **10. STABILITY AND REACTIVITY**

#### Reactivity

Stable under normal conditions

# **Chemical stability**

Data not available.

# Possibility of hazardous reactions

None.

### **Conditions to avoid**

Stable under normal conditions.

Incompatible materials

#### None in particular.

#### Hazardous decomposition products

None.

#### **11. TOXICOLOGICAL INFORMATION**

## Information on toxicological effects

## Toxicological information of the product:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

## Toxicological information of the main substances found in the product:

| titanium dioxide;<br>Dioxotitanium  | a) acute toxicity | LD50 Oral Rat > 10000 mg/kg |
|---|-------------------|-----------------------------|
| vinyltrimethoxysilane;<br>Trimethoxyvinylsilane   | a) acute toxicity | LD50 Oral Rat = 7340 µL/kg  |
| bis(1,2,2,6,6-<br>pentamethyl-4-piperidyl)<br>sebacate; Decanedioic<br>acid, bis(1,2,2,6,6- | a) acute toxicity | LD50 Oral Rat = 2615 mg/kg  |

## If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity

g) reproductive toxicity

h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

i) STOT-repeated exposure

j) aspiration hazard

#### Substance(s) listed on the IARC Monographs:

titanium dioxide; Dioxotitanium Group 2B

#### Substance(s) listed as OSHA Carcinogen(s):

titanium dioxide; Dioxotitanium

#### Substance(s) listed as NIOSH Carcinogen(s):

titanium dioxide; Dioxotitanium

#### Substance(s) listed on the NTP report on Carcinogens:

None

#### **12. ECOLOGICAL INFORMATION**

#### Toxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

#### List of components with eco-toxicological properties

| Component  | Ident. Numb.   | Ecotox Infos   |
|--|----------------|--|
| vinyltrimethoxysilane;<br>Trimethoxyvinylsilane  | CAS: 2768-02-7 | a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 191 mg/L 96h<br>ECHA     |
| bis(1,2,2,6,6-pentamethyl-4-<br>piperidyl) sebacate; Decanedioic<br>acid, bis(1,2,2,6,6-pentamethyl-4-<br>piperidinyl) ester | 7              | a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus = $0,97 \text{ mg/L } 96h$ |

#### Persistence and degradability

Not available

#### **Bioaccumulative potential**

Not available

#### Mobility in soil

Not available

## Other adverse effects

Not available

# **13. DISPOSAL CONSIDERATIONS**

## Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

# Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

## **14. TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations.

# UN number

ADR-UN number: Not available DOT-UN Number: Not available IATA-Un number: Not available IMDG-Un number: Not available

## **UN** proper shipping name

ADR-Shipping Name: Not available DOT-Proper Shipping Name: Not available IATA-Technical name: Not available IMDG-Technical name: Not available

#### Transport hazard class(es)

ADR-Class: Not available DOT-Hazard Class: Not available IATA-Class: Not available IMDG-Class: Not available

#### Packing group

ADR-Packing Group: Not available DOT-Packing group: Not available IATA-Packing group: Not available IMDG-Packing group: Not available

#### **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: Not available

#### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not available

## Special precautions

Department of Transportation (DOT): Not available Road and Rail ( ADR-RID ) : Not available Air ( IATA ) : Not available Sea ( IMDG ) : Not available

#### **15. REGULATORY INFORMATION USA - Federal regulations TSCA - Toxic Substances Control Act TSCA** inventory: All the components are listed on the TSCA inventory **TSCA listed substances:** titanium dioxide; Dioxotitanium is listed in TSCA Section 8b is listed in TSCA Section 8b vinyltrimethoxysilane; Trimethoxyvinylsilane bis(1,2,2,6,6-pentamethyl-4is listed in TSCA Section 8b Print date 11/10/2022 Production Name ULTRABOND ECO MS 4 LVT NA Page n. 6 of 8

piperidyl) sebacate; Decanedioic acid, bis(1,2,2,6,6-pentamethyl-4piperidinyl) ester

# SARA - Superfund Amendments and Reauthorization Act

# Section 302 - Extremely Hazardous Substances:

No substances listed

## Section 304 - Hazardous substances:

No substances listed

# Section 313 - Toxic chemical list:

No substances listed

#### CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

No substances listed

## CAA - Clean Air Act

CAA listed substances:

No substances listed

#### **CWA - Clean Water Act**

**CWA listed substances:** 

# No substances listed

#### **USA - State specific regulations**

#### **California Proposition 65**

Substance(s) listed under California Proposition 65:

titanium dioxide; Dioxotitanium Listed as carcinogen

## Massachusetts Right to know

#### Substance(s) listed under Massachusetts Right to know:

titanium dioxide; Dioxotitanium

#### Pennsylvania Right to know

#### Substance(s) listed under Pennsylvania Right to know:

titanium dioxide; Dioxotitanium

#### New Jersey Right to know

#### Substance(s) listed under New Jersey Right to know:

titanium dioxide; Dioxotitanium

# **Canada - Federal regulations**

# DSL - Domestic Substances List

# DSL (Domestic Substances List)

All the substances are listed in the DSL.

#### NDSL - Non Domestic Substances List

## NDSL (Non Domestic Substances List)

No substances listed

## NPRI - National Pollutant Release Inventory

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

## **16. OTHER INFORMATION**

Safety Data Sheet dated: 6/16/2021 - version 5 Additional classification information

NFPA Health: 1 = Slight

NFPA Flammability: 2 = Combustible liquid NFPA Reactivity: 0 = Minimal NFPA Special Risk: Not available



Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

# Code Description

- H226 Flammable liquid and vapour.
- H317 May cause an allergic skin reaction.
- H332 Harmful if inhaled.
- H351 Suspected of causing cancer.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

## Legend to abbreviations and acronyms used in the safety data sheet:

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
- RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
- IMDG: International Maritime Code for Dangerous Goods.
- IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

- ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
- GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
- CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

- WGK: German Water Hazard Class.
- KSt: Explosion coefficient.

# Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 16. OTHER INFORMATION